

# Handler Function

Handler function is a function that will be invoked by AWS Lambda when the trigger is activated.

```
/**
 * The main function
 * @param {object} event Event from system
 * @returns
 */
export const handler = async (event) => {
  // Return the output
  return { statusCode: 200, body: 'Success' };
};
```

## Loading Global Variables

```
// Load environment variables
try {
  dotenv.config({ path: '/var/task/.env' });
} catch (err) {
  console.error('Error loading .env file:', err);
  return { statusCode: 500 };
}
```

## Creating the CSV File Storage

```
// Setup logging before executing the rest of the code
if (!fs.existsSync(process.env.S3_CSV_FOLDER)) {
  fs.mkdirSync(process.env.S3_CSV_FOLDER, { recursive: true });
}
```

## Checking Execution Lock

```

// Check execution
const executingQueryChk = `SELECT is_executing, started_at, finished_at
  FROM indices.s3_execution
 WHERE is_executing = true
 LIMIT 1`;
const resultEx = await execQuery(executingQueryChk);
if (resultEx.rows.length > 0) {
  const startedAt = convertDateStringToDate(resultEx.rows[0]['started_at']);
  const finishedAt = convertDateStringToDate(resultEx.rows[0]['finished_at']);
  const currentTime = new Date();
  // Convert ms to minutes
  const timeDifferenceInMinutes = Math.floor((currentTime - startedAt) / (1000 * 60));
  if (startedAt > finishedAt && Math.abs(timeDifferenceInMinutes) <
process.env.AFTER_FAILED_IGNOREING_MINUTES) {
    return processEnding(false);
  }
}

```

## Finding Import Date

```

// Find importing date
const findDateQuery = `SELECT date_hns
  FROM indices.s3_date_hns
 WHERE is_imported = false
 ORDER BY date_hns ASC
 LIMIT 1`;
const result = await execQuery(findDateQuery);
const now = result.rows[0]['date_hns'];

```

## Updating Execution Info

```

// Update execution info
const updateStartQuery = `UPDATE indices.s3_execution
  SET is_executing = true, started_at = $1, last_executed_date_hns = $2, last_error = null`;
await execQuery(updateStartQuery, [
  getTimestamp(),
  formatDateForPostgres(now),

```

```
});
```

# Updating Import Date Info

```
// Update importing date
const updateStartedAtQuery = `UPDATE indices.s3_date_hns
  SET is_imported = false, started_at = $1
  WHERE date_hns = $2`;
await execQuery(updateStartedAtQuery, [
  getTimestamp(),
  formatDateForPostgres(now),
]);
```

Revision #2

Created 3 November 2024 15:35:06 by Ahmad

Updated 3 November 2024 16:17:15 by Ahmad